

**Radiator**

Forte V10 1600↑ × 514↔ LP,  
radiator colour: Metallic Grey,  
radiator code: TG10F160051 KMGRLP

◀ **Valves and accessories**

angled thermostatic valve set  
pipe-masking set – 160 mm

▼ **Valves and accessories**

3-axis thermostatic valve set  
pipe-masking set – 70 mm



RAL 9005 MAT



RAL 9016





















METALLIC GREY

**FORTE V10** 




## AVAILABLE SIZES




## CENTRAL HEATING / DUAL FUEL

Connections:

Height 550–600 mm



Height 1000–1800 mm





Height A ⇕ [mm]	Width B ↔ [mm]	Heating power – powder paint		Product code <a href="#">... Configuration p.6</a>
		75/65/20°C [W]	55/45/20°C [W]	
550	440	281	147	TG10F055044...
550	588	374	195	TG10F055058...
550	810	515	269	TG10F055081...
550	1032	655	342	TG10F055103...
550	1254	796	416	TG10F055125...
600	440	304	159	TG10F060044...
600	588	406	212	TG10F060058...
600	810	558	292	TG10F060081...
600	1032	710	371	TG10F060103...
600	1254	862	451	TG10F060125...
1000	514	564	295	TG10F100051...
1000	588	645	338	TG10F100058...
1200	514	660	345	TG10F120051...
1200	588	754	394	TG10F120058...
1400	514	750	391	TG10F140051...
1400	588	857	447	TG10F140058...
1800	514	913	484	TG10F180051...
1800	588	1043	553	TG10F180058...



## DIMENSIONS AND TECHNICAL INFORMATION

Working pressure: 450 kPa

Maximum operating temperature: 95°C

Height A ↕ [mm]	Width B ↔ [mm]	Depth G [mm]	Spacing connection C1 [mm]	Spacing connection C3 [mm]	Spacing connection C4 [mm]	Spacing connection C5 [mm]	Spacing horizontal fasteners D [mm]	Spacing vertical fasteners E [mm]	Bottom fasteners position F [mm]	Capacity  [dm <sup>3</sup> ]	Weight  [kg]
550	440	69	50	500	440	—	296	377	107	2,12	6,33
550	588	69	50	500	588	—	444	377	107	3,96	8,47
550	810	69	50	500	810	—	666	377	107	4,32	11,68
550	1032	69	50	500	1032	—	888	377	107	6,04	14,89
550	1254	69	50	500	1254	—	1110	377	107	7,76	18,09
600	440	69	50	550	440	—	296	427	107	2,12	6,87
600	588	69	50	550	588	—	444	427	107	3,96	9,17
600	810	69	50	550	810	—	666	427	107	5,82	12,60
600	1032	69	50	550	1032	—	888	427	107	6,04	16,04
600	1254	69	50	550	1254	—	1110	427	107	7,26	19,47
1000	514	69	—	950	514	50	370	827	107	4,86	12,35
1000	588	69	—	950	588	50	444	827	107	5,96	14,11
1200	514	69	—	1150	514	50	370	1027	107	5,86	14,51
1200	588	69	—	1150	588	50	444	1027	107	6,96	16,58
1400	514	69	—	1350	514	50	370	1227	107	6,86	16,67
1400	588	69	—	1350	588	50	444	1227	107	7,96	19,04
1800	514	69	—	1750	514	50	370	1627	107	7,86	20,99
1800	588	69	—	1750	588	50	444	1627	107	9,96	23,96


TECHNICAL DRAWING



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator


Collector:

Pipe:



TECHNICAL DRAWING


VL



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator


Collector:

Pipe:



TECHNICAL DRAWING


VP



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector:


Pipe:





TECHNICAL DRAWING


ZX



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Collector:

Pipe:



Product codes can be found in the product tables in both the catalogue and the price list. They provide basic information about the product and the configuration code contains information that complements the specification. When placing an order, the product codes should contain the fully completed configuration part. Part of the configuration code should be placed after the main product code as shown in the example below:

## CONFIGURATION CODE FOR A TOWEL RAIL OR RADIATOR

### CODE DETAILS:

